

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Wyoming - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Calling Device, Electronic</b>	<b>Intentional</b>	<b>Coyotes</b>	181			
		<b>Raccoons</b>	2			
<b>Calling Device, Manual(Hand,Blown)</b>	<b>Intentional</b>	<b>Coyotes</b>	125			
<b>Car/Truck</b>	<b>Intentional</b>	<b>Ravens, Common</b>				150
<b>Catch Pole</b>	<b>Intentional</b>	<b>Ducks, Merganser Common</b>			1	
<b>Dog</b>	<b>Intentional</b>	<b>Bears, Grizzly</b>				1
<b>DRC-1339-Livestock/Nest/Fodder</b>	<b>Intentional</b>	<b>Crows, American</b>	262			
		<b>Magpies, Black-billed</b>	43			
		<b>Ravens, Common</b>	320			
<b>DRC-1339-Pigeons</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Wyoming -  
FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>DRC-1339-Pigeons</b>						
	<b>Intentional</b>					
		<b>Pigeons, Feral (Rock)</b>	<b>223</b>			
<b>DRC-1339-WY SLN (Staging/Feedlots)</b>						
	<b>Intentional</b>					
		<b>Crows, American</b>	<b>204</b>			
		<b>Magpies, Black-billed</b>	<b>25</b>			
		<b>Ravens, Common</b>	<b>487</b>			
		<b>Starlings, European</b>	<b>23,552</b>			
	<b>Unintentional</b>					
		<b>Pigeons, Feral (Rock)</b>	<b>9</b>			
<b>Firearms</b>						
	<b>Intentional</b>					
		<b>Badgers</b>	<b>8</b>			
		<b>Beavers</b>	<b>5</b>			
		<b>Bobcats</b>	<b>1</b>			
		<b>Cats, Feral/Free Ranging</b>	<b>1</b>			
		<b>Coyotes</b>	<b>937</b>			
		<b>Flickers, Northern</b>	<b>11</b>			
		<b>Foxes, Red</b>	<b>30</b>			
		<b>Lions, Mountain (Cougar)</b>	<b>2</b>			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Wyoming -  
FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Pigeons, Band-tailed	3			
		Pigeons, Feral (Rock)	421			
		Porcupines	2			
		Raccoons	81			
		Skunks, Striped	6			
		Wolves, Gray/Timber	9			
<b>Fixed Wing</b>						
	<b>Intentional</b>					
		Coyotes	4,004			
		Foxes, Red	17			
		Wolves, Gray/Timber	10			
<b>Gas Cartridge, Large</b>						
	<b>Intentional</b>					
		Coyotes (Burrow/Den)		137		
		Foxes, Red (Burrow/Den)		17		
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Bats (All)	1			
		Doves, Collared, Eurasian	3			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Wyoming -  
FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>	<b>Pigeons, Feral (Rock)</b>	<b>10</b>			
<b>Helicopter</b>						
	<b>Intentional</b>	<b>Coyotes</b>	<b>76</b>			
		<b>Wolves, Gray/Timber</b>	<b>2</b>			
<b>Jabstick</b>						
	<b>Intentional</b>	<b>Skunks, Striped</b>	<b>3</b>			
<b>Ketamine/Xylazine 5:1</b>						
	<b>Intentional</b>	<b>Cats, Feral/Free Ranging</b>	<b>1</b>			
		<b>Skunks, Striped</b>	<b>23</b>			
<b>M-44 Cyanide Capsule</b>						
	<b>Intentional</b>	<b>Coyotes</b>	<b>209</b>			
		<b>Foxes, Red</b>	<b>36</b>			
	<b>Unintentional</b>	<b>Dogs, Feral, Free-ranging And Hybrids</b>	<b>1</b>			
		<b>Foxes, Red</b>	<b>2</b>			
		<b>Foxes, Swift</b>	<b>6</b>			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Wyoming -  
FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Nets, Cannon/Rocket</b>	<b>Intentional</b>	<b>Grouse, Sage, Greater</b>			<b>103</b>	
<b>Nets, Other</b>	<b>Intentional</b>	<b>Bats (All)</b>	<b>7</b>			
<b>Pneumatics</b>	<b>Intentional</b>	<b>Pigeons, Feral (Rock)</b>	<b>11</b>			
<b>Snares, Foot/Leg</b>	<b>Intentional</b>	<b>Bears, Black</b>	<b>4</b>			
<b>Snares, Neck</b>	<b>Intentional</b>	<b>Badgers</b>	<b>24</b>			
		<b>Beavers</b>	<b>46</b>			
		<b>Bobcats</b>	<b>17</b>			
		<b>Coyotes</b>	<b>828</b>			
		<b>Foxes, Red</b>	<b>104</b>			
		<b>Porcupines</b>	<b>14</b>		<b>8</b>	
		<b>Raccoons</b>	<b>97</b>			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Wyoming -  
FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Intentional</b>					
		Skunks, Striped	5			
	<b>Unintentional</b>					
		Badgers	7		1	
		Bobcats	5			
		Deer, Mule	8		3	
		Deer, White-tailed (Wild)	2			
		Dogs, Feral, Free-ranging And Hybrids			1	
		Eagles, Golden	1			
		Foxes, Red	1			
		Foxes, Swift	1			
		Hares, Jackrabbits (Other)	2			
		Lions, Mountain (Cougar)	3			
		Porcupines	1			
		Pronghorns (Antelope)			1	
		Sheep, Feral, Free-ranging And Exotics	1			
		Skunks, Striped	2			
<b>Traps, Body Grip</b>	<b>Intentional</b>					
		Beavers	79			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Wyoming -  
FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>	
<b>Traps, Body Grip</b>	<b>Intentional</b>	Muskrats	1				
		Skunks, Striped	10				
<b>Traps, Cage</b>	<b>Intentional</b>	Bobcats	1				
		Cats, Feral/Free Ranging	99		2		
		Coyotes	2				
		Doves, Collared, Eurasian	2				
		Foxes, Red	5				
		Marmots/Woodchucks (All)				2	
		Opossums, Virginia	1				
		Pigeons, Feral (Rock)	750				
		Porcupines	3				
		Raccoons	1,268				
		Skunks, Striped	349			2	
		<b>Unintentional</b>	Cats, Feral/Free Ranging	1			21
			Doves, Collared, Eurasian	1			
			Foxes, Red				3

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Wyoming -  
FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>	
<b>Traps, Cage</b>	<b>Unintentional</b>	Opossums, Virginia			4		
		Rabbits, Cottontail			1		
<b>Traps, Foothold</b>	<b>Intentional</b>	Badgers	6				
		Beavers	8				
		Bobcats	4				
		Cats, Feral/Free Ranging	2				
		Coyotes	173				
		Foxes, Red	41				
		Lions, Mountain (Cougar)	1				
		Porcupines	1				
		Raccoons	202				
		Skunks, Striped	33				
		Wolves, Gray/Timber	7			4	
			<b>Unintentional</b>				
				Bears, Black	1		
				Bobcats	1		1
		Cats, Feral/Free Ranging	2				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*



**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Wyoming -  
FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>						
	<b>Unintentional</b>					
		Coyotes	2		3	
		Deer, Mule	1		2	
		Dogs, Feral, Free-ranging And Hybrids			1	
		Domestic Animal (Pet Or Livestock)			2	
		Pronghorns (Antelope)			2	
		Raccoons	1			
		Skunks, Striped	3			
<b>Traps, Foothold (Padded)</b>						
	<b>Intentional</b>					
		Raccoons	5			
<b>Traps, Other</b>						
	<b>Intentional</b>					
		Raccoons	1			
		<i>Total Take for WY</i>	35,612	154	168	151

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*